

**NORTON**

Grinding wheel

Specifications T1A Face	38A White		25A Red	39C Green	H Rough leather	Packing PCS / box
	46-100K Price	120K Price	46-120K Price	46-120K Price	46-120K Price	
150×3.2×31.75	14.4	14.4				30
150×4.8×31.75	14.4	14.4				30
150×6.4×31.75	14.4	14.4	20.0			30
150×12.7×31.75	20.7	20.7				20
150×19.1×31.75	25.3	25.3		38.0		20
150×25.4×31.75	26.5	26.5		45.2		20
180×3.2×31.75	15.7	19.0	20.7			40
180×4.8×31.75	14.8	17.9	19.7			30
180×6.4×31.75	14.8	17.9	19.7			30
180×9.5×31.75	19.5	23.6	28.8			24
180×12.7×31.75	21.7	26.2	30.9			20
180×19.1×31.75	33.3	40.3	49.9	33.5		20
180×25.4×31.75	44.4	53.7	66.5	52.6	31.4	20
205×6.4×31.75	18.6	22.5	25.9	70.0		30
205×9.5×31.75	26.9	32.5	39.0			24
205×12.7×31.75	28.8	34.8	41.8			20
205×19.1×31.75	43.8	53.0	65.6	47.6		15
205×25.4×31.75	58.4	70.7	87.5	67.8		15
255×25.4×31.75	66.4	66.4		90.4	41.8	10
255×25.4×76.2	66.4	66.4		80.4		10
255×19.1×31.75	55.3	55.3			84.8	10
305×25.4×127	75.4	75.4	105.6	70.9	79.6	3
305×25.4×76.2	90.7	90.7	126.9			3
305×32×127	112.5	112.5	226.3			3
305×32×76.2	129.1	129.1	180.7			3
305×38.1×127	144.6	144.6	202.4			2
305×38.1×76.2	147.5	147.5	206.5			2
355×38.1×127	182.8	182.8	256.0			2

**T10A Unilateral convex**

180×6.4×31.75	19.2	23.3	25.6		31.4	30
---------------	------	------	------	--	------	----

**T5A Single concave**

180×19.1×31.75	38.3	46.3	57.3			20
180×25.4×31.75	51.0	61.8	76.5			20
180×31.75×31.75	56.9	68.8	86.9		41.8	20
205×19.1×31.75	50.4	61.0	75.5			20
205×25.4×127	67.2	81.3	100.6		84.8	20
205×31.75×31.75	74.8	90.5	114.4		79.6	20

**Atmospheric grinding wheel**

180×12.7×31.75 25A46HVCF2	Heat treatment material processing 92.5				20
---------------------------	---	--	--	--	----

Price Description: 150-220# another increase of 30%; 320-400# another increase of 40%

**TYROLIT**

Grinding wheel

Specifications	TYROLIT	
	Colour	Price
<b>180×4.5×31.75</b>		
89A602J5V121	White	125
89A802J5V121	White	125
89A1002J5V121	White	125
89A1202J5V121	White	125
89A180J5V121	White	163
89A220J5V121	White	200
89A320J5V121	White	225
89A500H5V111	White	254
1GB1202J5VCSS	Blue	125
1GB180J5VCSS	Blue	163
1GB220J5VCSS	Blue	200
1GB320J5VCSS	Blue	225
1GB500H5VCSS	Blue	254
<b>180×6.5×31.75</b>		
89A602J5V121	White	118
89A602J6V121	White	118
89A802J5V121	White	118
89A1002J5V121	White	118
89A1202J5V121	White	118
89A1202J6V121	White	118
89A180J5V121	White	155
89A220J5V121	White	189
89A320J5V121	White	213
89A500H5V111	White	252
89A500J5V121	White	252
89A1200J4BY14	+White	541
1GB602J5VCSS	Blue	118
1GB802J6VCSS	Blue	118
1GB1002J5VCSS	Blue	118
1GB1202J5VCSS	Blue	118
1GB180J5VCSS	Blue	155
1GB220J5VCSS	Blue	189
1GB320J5VCSS	Blue	213
1GB500H5VCSS	Blue	252
<b>180×10×31.75</b>		
89A1202J5V121	White	141
89A1200J4BY14	+White	770
<b>180×13×31.75</b>		
89A60J7AV217	White	148
88A802J7GV112	White	148
93A462J8AV217P23	Red	155
93A60J8AV217P23	Red	155



**The company to undertake non-standard corundum grinding wheel, CBN/SDC and optical grinding wheel custom, Delivery fast, cost-effective, if necessary, please contact us!**

## Pneumatic power tool

Specifications	Price
<b>NAKANISHI(NSK)</b>	
ESP-603	6250
ESP-603R	6250
EA-45-20	6250
EA-90-20	6250
NSP-601	6250
SONIC-CUTTERU	20000
NA45-230	6250
NA45-400	6250
NA90-230	6250
AM-310R	11750
NR-303	6500
US-25PBS	39500
<b>UHT</b>	
UHT-MSG-24BSN	1650
UHT-MSG-123N	1650
UHT-MSG-121N	1650
UHT-MSG-122N	1650
UHT-MSG-3BSN	1650
UHT-MSG-093N	1650
UHT-TLL-03	3500
UHT-TLL-07	3500
<b>LIH</b>	
AR-03	1250
TU-03	1250
AR-05	687.5
AR-993	2125
NAK-180	575
NAK-45	1000
NAK-A45	1000
AR-06	1250
TU-06	1125
AIR-05	1125
AR-586	1000
AR-992	575
NAK-90	1000
NAK-A90	1000
<b>BORTE</b>	
ARA-F2000U	1875
ARA-700U	1500
ARA-600U	1500
ARA-500U	1050
ARA-300U	1500
ARA-800	3000
ARA-0.15M	1700
ARA-695	1375
ARA-380	1000
ARA-450	1125
ARA-900	1125
ARA-A450	1125
ARA-A900	1125
AR-6-45	1250
AR-6-90	1250
AR-280	1625
<b>SRT</b>	
"SRT" -65000	137.5
"SRT" NAK-180	175
"SRT" ARA-992	150
"SRT" TLL-AR06	337.5
"SRT" -45	450
"SRT" 380A	287.5

## Diamond tools

Specifications	Price
<b>Air Tool</b>	
MSG-24BSN	800
MAG-123N	800
MAG-121N	800
MSG-3BSN	800
MAG-093N	800
MAG-122N	800
<b>BORTE</b>	
"DYD" 65000	200
"AIR" -90	500
306	875
TOKO-868	425
KOSOKU AG-6	750
"DYD" 70000	225
"PRO"	287.5
"啄木鸟" 035	1000
TOKO-8168	700
TC-103	750

Specifications	Price
<b>BORTE</b>	
Diamond grinding rodBMS-20 (Φ3.0 20PC)	60
Diamond grinding rodBMS-30(Φ3.0 30PC)	62.5
Diamond grinding rodBMS-300(Φ3.0 30PC Big)	75
Diamond wheel A	175
dressingΦ8(2" 4" 6")0.25	30
dressingΦ10 (2" 4" 6")0.25CT	30
dressingΦ12(2" 4" 6")0.25CT	30
dressingΦ8(2" 4" 6")0.50CT	37.5
dressingΦ10(2" 4" 6")0.50CT	37.5
dressingΦ12(2" 4" 6")0.50CT	37.5
dressingBD-30 Φ3.15*50L	25
dressingBD-30 Φ6.33*50L	25
dressingBD-30 Φ10*50L	70
FilePTF-10 (10PC)	137.5
FileCF-400 (12PC)	187.5
FilePF-10(Φ3*5PC)	75
FilePF-10 (Φ3*10PC)	200
FileBF-60(5PC)	112.5
FileBF-90(10PC)	200
FilePF-70(5PC)	112.5
FileMTP-120(12PC)	150
FileMTP-100(10PC)	237.5
FileMBF-90/10PC	275
CBNΦ100 Wheel	500
Diamond paste: 5 grams	62.5





# BORIDE


Type granularity specifications	AS-9(Red)			AO(White)		
	150# 180# 220#	320# 400#	600#	150# 180# 220#	320# 400#	600#
1/16X1/4	16.80	18.80	26.00	16.10	18.20	21.80
1/16X1/2	17.30	19.30	23.10	17.20	19.40	21.80
1/8X1/8	17.30	19.30	26.00	17.20	19.40	21.80
1/8X1/4	16.30	17.40	21.20	16.20	17.40	20.20
1/8X1/2	18.20	19.30	23.90	18.10	19.40	23.50
1/4X1/4	16.30	17.50	21.20	16.80	17.50	23.20
1/4X1/2	21.40	22.70	29.40	20.70	22.60	27.30
1/4ROUND	31.50	41.80	49.00	31.50	41.80	47.70
3/8ROUND	38.40	43.70	50.20	38.40	43.70	48.40



# Bellstone

granularity specifications	120# 180#	150# 240#	320# 400#	600# 800#	1000#	1200#	1500#	2000#	3000#
1.5×6×100									
2×6×100	10.75		11.9	12.76	13.91	15.25	16.69	18.42	20.44
3×6×100									
1.5×13×100	11.9		12.76	13.91	15.25	16.69	18.42	20.44	21.87
3×13×100									
3×6×150	13.91		14.97	16.02	17.17	19	20.72	22.93	25.14
3×3×150	11.8		12.76	13.62	14.49	15.93	17.46	19.19	21.11
6×6×150	16.2		17.17	18.42	19.76	21.87	23.79	26.38	28.88
3×13×150	18.42		19.38	20.44	21.39	23.31	25.62	28.44	30.99
5×13×150	19.48		20.44	21.39	23.31	25.62	28.4	30.99	34.35
10×10×150	24.77		26.1	27.29	30.15	33.12	36.47	40.04	43.84
13×13×150	32.28		35.87	40.98	44.8	49.68	54.77	60.41	66.26
25×25×150	55.41		62.8	87.58	96.16	105.7	116.53	128.44	141.2

# XEBEC



Specification	granularity	colour	thickness	width	length	Price
A-BO-1004M	#400	特别蓝	1.0	4	100	67.5
A-BO-1006M	#400	特别蓝	1.0	6	100	120
A-BO-1010M	#400	特别蓝	1.0	10	100	175
P-BO-30M	#400	特别蓝	Φ3圆		100	177.5
A-D-1002M	#220	啡	1.0	2	100	62.5
A-D-1004M	#220	啡	1.0	4	100	97.5
A-D-1006M	#220	啡	1.0	6	100	142.5
A-D-1010M	#220	啡	1.0	10	100	192.5
P-M-30M	#220	啡	Φ3圆		100	195
A-L-1002M	#300	棕	1.0	2	100	62.5
A-L-1004M	#300	棕	1.0	4	100	97.5
A-L-1006M	#300	棕	1.0	6	100	142.5
A-L-1010M	#300	棕	1.0	10	100	192.5
P-L-30M	#300	棕	Φ3圆		100	195
A-O-1002M	#400	橙	1.0	2	100	60
A-O-1004M	#400	橙	1.0	4	100	90
A-O-1006M	#400	橙	1.0	6	100	132.5
A-O-1010M	#400	橙	1.0	10	100	177.5
P-O-30M	#400	橙	Φ3圆		100	180
A-P-1002M	#600	黑	1.0	2	100	60
A-P-1004M	#600	黑	1.0	4	100	90
A-P-1006M	#600	黑	1.0	6	100	132.5
A-P-1010M	#600	黑	1.0	10	100	177.5
P-P-30M	#600	黑	Φ3圆		100	180
A-B-1002M	#800	蓝	1.0	2	100	60
A-B-1004M	#800	蓝	1.0	4	100	90
A-B-1006M	#800	蓝	1.0	6	100	132.5
A-B-1010M	#800	蓝	1.0	10	100	177.5
P-B-30M	#800	蓝	Φ3圆		100	180
A-W-1002M	#1000	白	1.0	2	100	60
A-W-1004M	#1000	白	1.0	4	100	90
A-W-1006M	#1000	白	1.0	6	100	132.5
A-W-1010M	#1000	白	1.0	10	100	177.5
P-W-30M	#1000	白	Φ3圆		100	180
A-R-1002M	#1200	红	1.0	2	100	60
A-R-1004M	#1200	红	1.0	4	100	90
A-R-1006M	#1200	红	1.0	6	100	132.5
A-R-1010M	#1200	红	1.0	10	100	177.5
P-R-30M	#1200	红	Φ3圆		100	180